

Appl. No. 10/617,603
Reply to Office Action of September 26, 2005

Docket No. RTN-170AUS

Amendments to the Claims:

This listing of the claims will replace all prior versions, and listings, of the claims in the application:

- 1 1. (Currently Amended) A computer implemented method of storing commands, comprising:
2 recording a first set of commands to a command queue to provide a first dynamic
3 snapshot, wherein the first dynamic snapshot corresponds to a set of commands associated with
4 a first system state;
5 storing the first dynamic snapshot at a first time;
6 recording one or more additional sets of commands to the command queue;
7 storing the one or more additional sets of commands, wherein storing a first one of the
8 one or more additional sets of commands is spaced in time from storing a second one of the one
9 or more additional sets of commands by a first storage interval;
10 eliminating selected ones of overriding-- redundant, and superfluous commands from
11 the command queue to provide a second dynamic snapshot, wherein the second dynamic
12 snapshot corresponds to a set of commands associated with a second system state; and
13 storing the second dynamic snapshot at a second time, wherein a difference between the
14 first time and the second time corresponds to a second storage interval.
- 1 2. (Original) The method of claim 1, wherein the first storage interval is less than one second.
- 1 3. (Original) The method of Claim 1, wherein the first storage interval is less than five seconds.
- 1 4. (Original) The method of Claim 1, wherein the first storage interval is less than sixty
2 seconds.
- 1 5. (Original) The method of Claim 1, wherein the second storage interval is greater than sixty
2 seconds.

Appl. No. 10/617,603
Reply to Office Action of September 26, 2005

Docket No. RTN-170AUS

- 1 6. (Original) The method of Claim 1, wherein the second storage interval is greater than five
2 minutes.
- 1 7. (Original) The method of Claim 1, wherein the second storage interval is greater than ten
2 minutes.
- 1 8. (Original) The method of Claim 1, wherein the commands include scene graph display
2 commands associated with a graphical display.
- 1 9. (Original) The method of Claim 1, wherein the commands include two-dimensional display
2 commands associated with a scene graph and associated with a graphical display.
- 1 10. (Original) The method of Claim 1, wherein the commands are associated with an air traffic
2 control (ATC) display.
- 1 11. (Original) The method of Claim 1, wherein the recording the first set of commands and the
2 recording the one or more additional set of commands are adapted to store the first set of
3 commands and the one or more additional sets of commands in an electronic solid-state
4 memory.
- 1 12. (Original) The method of Claim 1, wherein the storing the first and second dynamic
2 snapshots and the storing the one or more additional sets of commands are adapted to store the
3 first and second dynamic snapshots and the one or more additional sets of commands in a non-
4 volatile memory.
- 1 13. (Original) The method of Claim 12, wherein the non-volatile memory comprises at least one
2 of an electronic non-volatile memory and a tape recorder.
- 1 14. (Original) The method of Claim 1, further including:

Appl. No. 10/617,603
Reply to Office Action of September 26, 2005

Docket No. RTN-170AUS

1 receiving a time of interest, wherein the time of interest is between the first time and the
2 second time;
3 retrieving the first dynamic snapshot;
4 retrieving selected ones of the one or more additional sets of commands, wherein the
5 selected ones of the one or more additional sets of commands include commands recorded at or
6 before the time of interest;
7 appending the selected ones of the one or more sets of commands to the first dynamic
8 snapshot to provide an intermediate dynamic snapshot associated with the time of interest; and
9 interpreting the commands associated with the intermediate dynamic snapshot.

1 15. (Currently Amended) The method of Claim 14, further including eliminating selected ones
2 of overriding--~~and~~ redundant, and superfluous commands from within the intermediate dynamic
3 snapshot.

1 16. (Original) The method of Claim 14, wherein the commands include display commands
2 associated with a scene graph and associated with a graphical display, wherein the interpreting
3 the commands includes generating the graphical display.

1 17. (Original) The method of Claim 14, wherein the commands include two-dimensional
2 display commands associated with a scene graph and associated with a graphical display,
3 wherein the interpreting the commands includes generating the graphical display.

1 18. (Original) The method of Claim 14, wherein the commands are associated with an air traffic
2 control (ATC) display, wherein the interpreting the commands includes generating the ATC
3 display.

1 19. (Original) The method of Claim 1, further including:
2 receiving a time of interest, wherein the time of interest is between the first time and the
3 second time;
4 retrieving the first dynamic snapshot;

Appl. No. 10/617,603
Reply to Office Action of September 26, 2005

Docket No. RTN-170AUS

1 interpreting the first dynamic snapshot
2 retrieving selected ones of the one or more additional sets of commands, wherein the
3 selected ones of the one or more additional sets of commands include commands recorded at or
4 before the time of interest; and
5 interpreting the selected ones of the one or more additional sets of display commands.

1 20. (Original) The method of Claim 19, wherein the commands include display commands
2 associated with a scene graph and associated with a graphical display, wherein the interpreting
3 the first dynamic snapshot includes generating the graphical display, and wherein the interpreting
4 the selected ones of the one or more additional sets of display commands includes updating the
5 graphical display.

1 21. (Original) The method of Claim 19, wherein the display commands include two-
2 dimensional display commands associated with a scene graph and associated with a graphical
3 display, wherein the interpreting the first dynamic snapshot includes generating the graphical
4 display, and wherein the interpreting the selected ones of the one or more additional sets of
5 display commands includes updating the graphical display.

1 22. (Previously Presented) The method of Claim 20, wherein the commands are associated with
2 an air traffic control (ATC) display, wherein the interpreting the first dynamic snapshot includes
3 generating the ATC display, and wherein the interpreting the selected ones of the one or more
4 additional sets of display commands includes updating the ATC display.

1 23. (Currently Amended) A computer program medium having computer readable code thereon
2 for storing commands, the medium comprising:
3 instructions for recording a first set of commands to a command queue to provide a first
4 dynamic snapshot, wherein the first dynamic snapshot corresponds to a set of commands
5 associated with a first system state;
6 instructions for storing the first dynamic snapshot at a first time;

Appl. No. 10/617,603
Reply to Office Action of September 26, 2005

Docket No. RTN-170AUS

1 instructions for recording one or more additional sets of commands to the command
2 queue;
3 instructions for storing the one or more additional sets of commands, wherein storing a
4 first one of the one or more additional sets of commands is spaced in time from storing a second
5 one of the one or more additional sets of commands by a first storage interval;
6 instructions for eliminating selected ones of overriding--- redundant, and superfluous
7 commands from the command queue to provide a second dynamic snapshot, wherein the second
8 dynamic snapshot corresponds to a set of commands associated with a second system state; and
9 instructions for storing the second dynamic snapshot at a second time as a second
10 dynamic snapshot, wherein a difference between the first time and the second time corresponds
11 to a second storage interval.

1 24. (Previously Presented) The computer program medium of Claim 23, wherein the commands
2 include display commands associated with a scene graph and associated with a graphical display.

1 25. (Previously Presented) The computer program medium of Claim 23, wherein the commands
2 include two-dimensional display commands associated with a scene graph and associated with a
3 graphical display.

1 26. (Previously Presented) The computer program medium of Claim 23, wherein the commands
2 are associated with an air traffic control (ATC) display.

1 27. (Previously Presented) The computer program medium of Claim 23, wherein the recording
2 the first set of commands and the recording the one or more additional set of commands are
3 adapted to store the first set of commands and the one or more additional sets of commands in
4 an electronic solid-state memory.

1 28. (Previously Presented) The computer program medium of Claim 23, wherein the storing the
2 first and second dynamic snapshots and the storing the one or more additional sets of commands

Appl. No. 10/617,603
Reply to Office Action of September 26, 2005

Docket No. RTN-170AUS

3 are adapted to store the first and second dynamic snapshots and the one or more additional sets
4 of commands in a non-volatile memory.

1 29. (Previously Presented) The computer program medium of Claim 28, wherein the non-
2 volatile memory comprises at least one of an electronic non-volatile memory and a tape recorder.

1 30. (Previously Presented) The computer program medium of Claim 23, further including:
2 instructions for receiving a time of interest, wherein the time of interest is between the
3 first time and the second time;
4 instructions for retrieving the first dynamic snapshot;
5 instructions for retrieving selected ones of the one or more additional sets of commands,
6 wherein the selected ones of the one or more additional sets of commands include commands
7 recorded at or before the time of interest;
8 instructions for appending the selected ones of the one or more sets of commands to the
9 first dynamic snapshot to provide an intermediate dynamic snapshot associated with the time of
10 interest; and
11 instructions for interpreting the commands associated with the intermediate dynamic
12 snapshot.

1 31. (Currently Amended) The computer program medium of Claim 30, further including
2 instructions for eliminating selected ones of overriding, ~~and~~ redundant, and superfluous
3 commands from within the intermediate dynamic snapshot.

1 32. (Previously Presented) The computer program medium of Claim 30, wherein the commands
2 include display commands associated with a scene graph and associated with a graphical display,
3 wherein the interpreting the commands includes generating the graphical display.

1 33. (Previously Presented) The computer program medium of Claim 30, wherein the commands
2 include two-dimensional display commands associated with a scene graph and associated with a

Appl. No. 10/617,603
Reply to Office Action of September 26, 2005

Docket No. RTN-170AUS

1 graphical display, wherein the interpreting the commands includes generating the graphical
2 display.

1 34. (Previously Presented) The computer program medium of Claim 30, wherein the commands
2 are associated with an air traffic control (ATC) display, wherein the interpreting the commands
3 includes generating the ATC display.

1 35. (Previously Presented) The computer program medium of Claim 23, further including:
2 instructions for receiving a time of interest, wherein the time of interest is between the
3 first time and the second time;
4 instructions for retrieving the first dynamic snapshot;
5 instructions for interpreting the first dynamic snapshot
6 instructions for retrieving selected ones of the one or more additional sets of commands,
7 wherein the selected ones of the one or more additional sets of commands include commands
8 recorded at or before the time of interest; and
9 instructions for interpreting the selected ones of the one or more additional sets of display
10 commands.

1 36. (Previously Presented) The computer program medium of Claim 35, wherein the display
2 commands include two-dimensional display commands associated with a scene graph and
3 associated with a graphical display, wherein the instructions for interpreting the first dynamic
4 snapshot include instructions for generating the graphical display, and wherein the instructions
5 for interpreting the selected ones of the one or more additional sets of display commands include
6 instructions for updating the graphical display.

1 37. (Currently Amended) A system for storing commands, comprising:
2 a recording proxy adapted to intercept the commands;
3 a dynamic snapshot generator coupled to the recording proxy for providing dynamic
4 snapshots, wherein each dynamic snapshot corresponds to a respective ~~sets-set~~ of commands and
5 each set of commands is associated with a system state, wherein the dynamic snapshot generator

Appl. No. 10/617,603
Reply to Office Action of September 26, 2005

Docket No. RTN-170AUS

1 is adapted to eliminate selected ones of overriding, redundant, and superfluous commands from
2 each one of the command sets;

3 a command interface coupled to the recording proxy for providing commands;
4 a storage module coupled to the command interface and to the dynamic snapshot
5 generator, for storing the commands and for storing the dynamic snapshots.

1 38. (Previously Presented) The system of Claim 37, wherein the commands include display
2 commands associated with a scene graph and associated with a graphical display.

1 39. (Previously Presented) The system of Claim 37, wherein the commands include two-
2 dimensional display commands associated with a scene graph and associated with a graphical
3 display.

1 40. (Previously Presented) The system of Claim 37, wherein the commands are associated with
2 an air traffic control (ATC) display.

1 41. (Previously Presented) The system of Claim 37, wherein the dynamic snapshot generator
2 includes:

3 a command queue having:
4 a command stack portion for recording commands; and
5 a dynamic snapshot portion for recording commands associated with a system
6 state, and
7 a processor adapted to combine the commands in the command queue to eliminate
8 selected ones of overriding, redundant, and superfluous commands in the command queue.

1 42. (Previously Presented) The system of Claim 41, wherein the storage module is adapted to
2 store commands associated with the command stack portion and to store commands associated
3 with the dynamic snapshot portion.

Appl. No. 10/617,603
Reply to Office Action of September 26, 2005

Docket No. RTN-170AUS

43. (Previously Presented) The system of Claim 41, wherein the storage module is adapted to provide display commands associated with the command stack portion and the display commands associated with the dynamic snapshot portion for generating a graphical display.